


Lutron® Caséta™ Wireless

Adjust your lights with a remote control



Control your lights from anywhere:

Turn off lights from your bedside

Turn lights on from your car, purse, or pocket

Dim lights for a movie

Add a wall control wherever you want it:

Mount Pico remote control to any surface

No need to cut holes or pull new wires

Battery operated—requires no external power or wiring

Ultra-reliable operation:

Patented **Clear Connect®** wireless technology

Works around corners and through walls

Check out our videos:

- Caséta Wireless Overview
- How to install Caséta Wireless dimmers



Visit

www.casetawireless.com for:

- How-to videos as seen on YouTube
- Complete list of compatible light bulbs
- Additional product information




Caséta™ Wireless in your home:




Turn lights off from your bedside

No need to get out of bed. Simply turn the lights off from your bedside and drift into sleep.




Turn lights on as you arrive home

Scare off the burglar as you pull into the driveway.



Dim lights for a movie

Add some magic by controlling lights from the couch. The movie begins when the lights start to dim.




Caséta Wireless product information

Easy to install



Plug-in lamp dimmer

- simply plugs in



In-wall light dimmer

- Install in as little as 15 minutes
- Mistake-proof wiring
- No polarity for line or load wiring



Pico remote control

- Battery-powered and can be mounted anywhere
- 10 year battery life

Caséta Wireless works with energy-efficient, dimmable light bulbs



LED



CFL



Halogen



Incandescent

- **The Lutron LED Center of Excellence** is the industry resource for LED control **1.877.DIM.LED8** or **LEDS@lutron.com**
- Patent-pending technology ensures superior performance with dimmable LED and CFL light bulb models as well as incandescent bulbs
- UL Listed to dim over 250 different LED and CFL light bulbs. The bulb list is available at **www.casetawireless.com**
- Use different light bulb types on the same dimmer

6 ways to use your Pico remote control



In your hand



On a table



On the wall



From your car









From your purse



From your pocket

Caséta Wireless ordering information

IN-WALL LIGHT DIMMER	Model number	Specifications	Voltage
	PD-6WCL-XX†	Single pole/multi-location* 150 W dimmable CFL/LED, 600 W incandescent/halogen 434 MHz	120 V~ no polarity for line or load wiring
PLUG-IN LAMP DIMMER	Model number	Specifications	Voltage
	PD-3PCL-WH	Use with one or two lamps 100 W dimmable CFL/LED 300 W incandescent/halogen, 434 MHz	120 V~ plugs into a standard receptacle
PICO® REMOTE CONTROL	Model number	Specifications	Voltage
	PJ2-3BRL-XX†-L01R	3-button with raise/lower and light icon engraving 434 MHz additional styles available, please visit www.casetawireless.com to view the full selection	3V=== 10 mA uses single CR 2032 battery
WALLPLATE BRACKET	Model number	Specifications	
	PICO-WBX-ADAPT	Wallplate Bracket allows for easy installation of a Pico remote control over an existing wallbox or directly on any wall surface	
CAR VISOR CLIP	Model number	Specifications	
	PICO-CAR-CLIP	Provides an easy way to attach a Pico remote control to your car's sun visor	
TABLETOP PEDESTALS	Model number	Specifications	
	L-PED1-YY†† L-PED2-YY†† L-PED3-YY†† L-PED4-YY††	Pico wireless control single pedestal Pico wireless control double pedestal Pico wireless control triple pedestal Pico wireless control quadruple pedestal	

* For multi-location applications, replace additional switches with Pico remote controls using Wallplate Brackets.

† XX denotes gloss color suffix (below)

†† YY denotes availability in white or black gloss color

Gloss colors:  white (WH)  ivory (IV)  light almond (LA)  white/gray (WG)  black (BL)

Visit www.casetawireless.com for:

- How-to videos as seen on YouTube
- Complete list of compatible light bulbs
- Additional product information



© 1/2014 Lutron Electronics Co., Inc. | P/N 368-3455 REV A

